



Planar PLL2210MW - White

22" LCD Monitor

The Planar® PLL2210MW-WH is a 22", slim, widescreen monitor that delivers superb Full HD image performance at a great price point for any home or office. It incorporates blue light reduction presets, enhancing visual comfort when viewing for extended periods. Its LED backlight technology reduces energy consumption and it features an external power supply and VESA compatibility making it especially suited for hospital or medical offices and medical carts.



SPECIFICATION	DETAIL
Product Name	PLL2210MW-WH
Planar Part Number	997-6404-00
Viewable Size	21.5" diagonal (18.77" horizontal x 10.56" vertical)
Aspect Ratio	16:9
Contrast Ratio (typ)	1000:1
Viewing Angle (typ)	170° Horizontal and 160° Vertical (Specified at CR>10:1)
Response Time (typ)	5 ms
Brightness (Typical)	250 cd/m ²
Display Type	Edge-Lit LED LCD
Display Resolution	1920 x 1080, full HD
Tilt Range	-0° to +20°
Palette	16.7 million colors
Pixel Pitch	0.24825
Refresh Rate	56~75 Hz (60 Hz recommended)
Dimensions (W x H x D)	19.94" x 15.35" x 7.0" (506.5 mm x 389.9 mm x 177.8 mm)

D)	
Dimensions without Stand	19.94" x 12.64" x 1.91" (506.5 mm x 321.1 mm x 48.5 mm)
Panel Depth	1.91" (48.5 mm)
Display Weight	7 lb (3.2 kg)
Shipping weight	9 lb (4.1 kg)
Video Inputs	Analog and Digital (DVI-D w/HDCP)
HDCP	Yes
External Connections	1 - DVI 24-pin connector; 1 - VGA D-sub 15-pin video connector; 1 - 1/8 inch audio jack
Audio Output	Integrated TrueMedia™ speakers, 1W/channel, Headset jack
Compatibility	PC and Mac® (adapter may be required for Mac)
Power Supply	External (DC power)
Power Consumption (max)	25W Typical, (0.5W standby)
Power Requirements	AC 100/240 VAC
Operating Temperature	0° to +40°C (32° to 104°F)
Humidity	10 - 90% RH (non-condensing)
Mount	Built-in 100mm VESA, monitor back
Product Approvals	UL/cUL, FCC-B, RoHS
Recommended Usage	Up to 16 hours per day
Service and Support	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.
Options / Features	Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot
Blue Light Reduction	Yes
In the Box	PLL2210MW 22" LCD Monitor, 12V DC AC Adaptor, Power Cord, VGA Cable, DVI Cable, Audio Cable, User's Guide
UPC	8 10689 06404 6

For more information, please visit www.planar.com

Specifications are subject to change without notice.

Specification Report Date: 5/20/2024

© Copyright 2024 Planar Systems, Inc. All rights reserved