



# PXN2400

## 24" LCD Monitor

The Planar® PXN2400 24" full HD IPS LED LCD monitor that features a frameless bezel, thin profile, modern design, wide viewing angles, numerous inputs and integrated TrueMedia™ speakers. The Planar PXN2400 is a great fit in either home or office applications.



SPECIFICATION	DETAIL
Product Name	PXN2400
Planar Part Number	998-2121-00
Viewable Size	23.8" diagonal (20.75" horizontal x 11.67" vertical)
Aspect Ratio	16:9
Contrast Ratio (typ)	1000:1
Viewing Angle (typ)	178° Horizontal and 178° Vertical (Specified at CR>10:1)
Response Time (typ)	5 ms (GTG)
Brightness (Typical)	250 cd/m <sup>2</sup>
Display Type	IPS LCD Active Matrix Flat Panel Display (TFT)
Display Resolution	1920 x 1080, full HD
Tilt Range	-5° to +20°
Palette	16.7 million colors
Pixel Pitch	0.2745 mm
Refresh Rate	55~76 Hz (60 Hz recommended)
Dimensions (W x H x D)	21.24" x 15.5" x 8.26" (539.5 mm x 393.5 mm x 209.9 mm)

<b>Dimensions without Stand</b>	21.24" x 12.80" x 1.53" (539.5 mm x 325.3 mm x 38.8 mm)
<b>Panel Depth</b>	1.53" (38.8 mm)
<b>Display Weight</b>	8.6 lb (3.9 kg); Weight without stand: 7.5 lb (3.4 kg)
<b>Shipping weight</b>	10.8 lb (4.9 kg)
<b>Video Inputs</b>	HDMI®, DisplayPort, VGA
<b>HDCP</b>	Yes
<b>Audio Output</b>	2W x 2, headphone out
<b>External Connections</b>	HDMI 19-pin, DisplayPort 20-pin, VGA 15-pin, 3.5 mm audio in, 3.5mm headphone out
<b>Compatibility</b>	PC and Mac® (adapter may be required for Mac)
<b>Power Supply</b>	Internal
<b>Power Consumption (max)</b>	25 Watt Typical (<0.5 Watt standby)
<b>Power Requirements</b>	AC 100/240 VAC
<b>Operating Temperature</b>	0° to +40°C (32° to 104°F)
<b>Humidity</b>	10 - 90% RH (non-condensing)
<b>Mount</b>	Built-in 100 mm VESA, back
<b>Product Approvals</b>	FCC-B, CE, UL/cUL, RoHS
<b>Recommended Usage</b>	Up to 16 hours per day
<b>Service and Support</b>	3-Year Customer First™ Warranty featuring FREE Advance Replacement (US only). Please see the warranty document for more details and for replacement procedures outside the US.
<b>Options / Features</b>	IPS Wide color consistent viewing angle, Nearly Borderless bezel, Discreet branding, Anti-glare coating, Multi-language display, On screen display (OSD), Kensington® Security Slot
<b>Blue Light Reduction</b>	Yes
<b>Flicker Free</b>	Yes
<b>In the Box</b>	PXN2400 23.8" LED LCD Monitor, Power Cord, VGA Cable, HDMI Cable, Audio Cable, User's Guide
<b>UPC</b>	8 10689 00800 2

**HDMI®**

Planar utilizes HDMI® standards in this product. The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI Trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

For more information, please visit [www.planar.com](http://www.planar.com)

*Specifications are subject to change without notice.*

*Specification Report Date: 5/20/2024*

*© Copyright 2024 Planar Systems, Inc. All rights reserved*